



L Number	- Hits	Search Text	DB	Time stamp
1	2	("6381228").PN.	USPAT;	2003/11/30 17:25
		1 · · · · ·	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
2	2	("6366761").PN.	USPAT;	2003/11/30 18:13
	_	, (	US-PGPUB;	2000/11/00 10:15
İ			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
3	2	("5602988").PN.	USPAT;	2003/11/30 18:13
	_	( 3002300 ).1 14.	US-PGPUB;	2003/11/30 10.13
			EPO; JPO;	
			DERWENT;	
4	2	("E31EE96") DN	IBM_TDB	2002/11/20 10:12
7	2	("5315586").PN.	USPAT;	2003/11/30 18:13
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	_	(11057422411) DN	IBM_TDB	2002/44/22 42 11
5	2	("6574231").PN.	USPAT;	2003/11/30 18:14
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	
6	2	("6424622").PN.	USPAT;	2003/11/30 18:14
			US-PGPUB;	
l			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
7	2	("4849968").PN.	USPAT;	2003/11/30 18:39
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	`
8	2	("6445707").PN.	USPAT;	2003/11/30 18:39
		,	US-PGPUB;	, ,
			EPO; JPO;	
1			DERWENT;	
			IBM_TDB	
9	2	("6504820").PN.	USPAT;	2003/11/30 18:39
		,	US-PGPUB;	, ,
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
10	2	("6449267").PN.	USPAT;	2003/11/30 18:40
	-	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	0	ep-0790714a2.\$.did.	USPAT;	2003/11/23 17:58
	١	- CP 0/20/11α2.φ.αια.		2003/11/23 17.30
			US-PGPUB;	!
			EPO; JPO;	
			DERWENT;	
	ا ۾	on 070071452 # did	IBM_TDB	2002/44/22 47:52
-	0	ep-0790714a2-\$.did.	USPAT;	2003/11/23 17:58
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	

-	2	ep-790714-\$.did.	USPAT; US-PGPUB;	2003/11/23 17:59
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	("5812545").PN.	USPAT;	2003/11/23 18:04
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	0	/"5757794 4220921"\ DN	IBM_TDB	2002/44/22:40:04
-		("5757784,4220821").PN.	USPAT; US-PGPUB;	2003/11/23 18:04
			EPO; JPO;	
			DERWENT;	1
			IBM_TDB	
-	6	(("5757784") or ("4220821")).PN.	USPAT;	2003/11/23 18:05
		"	US-PGPUB;	, , , ,
			EPO; JPO;	
			DERWENT;	
		(///===================================	IBM_TDB	
	30	(("5757784") or ("4220821") or ("3848093") or ("5448621")	USPAT;	2003/11/23 18:08
		or ("3879581") or ("3851104") or ("3851104") or	US-PGPUB;	
		("5812545") or ("5757784") or ("5732078") or ("5699355") or ("5886907") or ("5864541") or ("5883819") or	EPO; JPO; DERWENT;	
		or ("5886907") or ("5884541") or ("5883819") or ("5677905")).PN.	IBM_TDB	
.	13		USPAT	2003/11/23 18:34
	13	or ("3879581") or ("3851104") or ("3851104") or	03.71	2003,11,23 10.34
		("5812545") or ("5757784") or ("5732078") or ("5699355")	1	
		or ("5886907") or ("5864541") or ("5883819") or		
		("5677905")).PN.	l	
-	6	("5490140"   "5555244"   "5583792"   "5764740"	USPAT	2003/11/23 18:27
		"5794128"   "5812534").PN.		
-	3	("5282199"   "5357507"   "5408465").PN.	USPAT	2003/11/23 18:27
-	3	("5428819"   "5583857"   "5751712").PN.	USPAT	2003/11/23 18:28
-	18	("4256925"   "4273962"   "4319353"   "4322845"	USPAT	2003/11/23 18:28
		"4330857"   "4424417"   "4507781"   "4642806"     "4774707"   "4870642"   "4888769"   "4995096"	1	
		"5012469"   "5072445"   "5239545"   "5307348"		
		"5309439"   "5392450").PN.		
-	5	l .'	USPAT	2003/11/23 18:32
		"5548578").PN.		
-	70	5448621.URPN.	USPAT	2003/11/23 18:33
-	208	bandwidth-on-demand	USPAT;	2003/11/23 18:34
	1		US-PGPUB;	
	]		EPO; JPO;	
1			DERWENT;	
_	67	   (plural\$4 adj10 queue\$1) and (plural\$4 adj10 channel\$1)	IBM_TDB   USPAT;	2003/11/23 18:37
	"	and (gos or quality adj1 service\$1)	US-PGPUB;	2003/11/23 10.3/
		and (400 or quality dajt od ricopt)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	3	bandwidth-on-demand and ((plural\$4 adj10 queue\$1) and	USPAT;	2003/11/23 18:38
		(plural\$4 adj10 channel\$1) and (qos or quality adj1	US-PGPUB;	
		service\$1))	EPO; JPO;	
			DERWENT;	
		(1	IBM_TDB	2002/44/22 12 52
-	0	(bandwidth-on-demand and @ad<20000303) and on-board	USPAT;	2003/11/23 18:39
		adj1 satellite adj1 switch	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
	1		ם טובן בייוטגן	L

-	33	(bandwidth-on-demand and @ad<20000303) and satellite	USPAT; US-PGPUB;	2003/11/23 18:58
			EPO; JPO; DERWENT;	
	45	on-board adj1 switch	IBM_TDB USPAT;	2003/11/23 18:58
-	45	on-board auji switch	US-PGPUB;	2003/11/23 16:56
1			EPO; JPO; DERWENT;	
	2	(on board adit switch) and (queuett or buffortt) and	IBM_TDB USPAT;	2003/11/23 19:02
ļ -		(on-board adj1 switch) and (queue\$1 or buffer\$1) and (bandwidth near5 request\$1) and ATM	US-PGPUB;	2003/11/23 19.02
			EPO; JPO; DERWENT;	
_	6	   ("4004098"   "4736371"   "5805577"   "5991279"	IBM_TDB USPAT	2003/11/23 19:01
		"6157621"   "6189044").PN.		
-	2	(on-board adj1 switch) and (queue\$1 or buffer\$1) and (bandwidth near5 request\$1)	USPAT; US-PGPUB;	2003/11/23 19:03
			EPO; JPO; DERWENT;	
_	46	(bandwidth near5 request) and (plural\$4 near5 (queue\$1 or	IBM_TDB ( USPAT;	2003/11/23 19:05
	10	buffer\$1)) and (plural\$4 near5 channel\$1)	US-PGPUB;	2003/11/23 13:03
	:		EPO; JPO; DERWENT;	
-	27	((bandwidth near5 request) and (plural\$4 near5 (queue\$1 or	IBM_TDB USPAT;	2003/11/23 19:19
		buffer\$1)) and (plural\$4 near5 channel\$1)) and and ad<20000303	US-PGPUB; EPO; JPO;	
		@au~20000303	DERWENT;	
-	36	(on-board adj1 switch) and @ad<20000303	IBM_TDB USPAT;	2003/11/23 19:19
			US-PGPUB; EPO; JPO;	
			DERWENT; IBM_TDB	
-	107	bandwidth-on-demand and @ad<20000303	USPAT;	2003/11/24 08:59
			US-PGPUB; EPO; JPO;	
			DERWENT; IBM_TDB	
-	7	(bandwidth-on-demand and @ad<20000303) and (bandwidth adj1 request\$1) and (queue\$ or buffer\$1)	USPAT; US-PGPUB;	2003/11/24 09:46
		(	EPO; JPO;	
		(NEX. 0.00 (N. ). NEX. 0.00 (N. ). NEX. 0.00 (N. ). NEX. 0.00 (N. ).	DERWENT; IBM_TDB	2002/44/24 22 22
-	13	("5132964"   "5251209"   "5363374"   "5592470"   "5699355"   "5774668"   "5826169"   "5920701"	USPAT	2003/11/24 08:42
		"5995805"   "6058307"   "6094575"   "6111863"   "6141534").PN.		
-	6106	BOD and @ad<20000303	USPAT; US-PGPUB;	2003/11/24 09:47
			EPO; JPO;	
			DERWENT; IBM_TDB	
-	1	(BOD and @ad<20000303) and (bandwidth adj1 request\$1) and (queue\$ or buffer\$1)	USPAT; US-PGPUB;	2003/11/24 09:04
		(	EPO; JPO; DERWENT;	
		(IICO474.C3II   IIC340073II   IIC34074.4II) DV	IBM_TDB	2002/44/24 00:00
<u> </u>	3	("6047162"   "6240073"   "6249514").PN.	USPAT	2003/11/24 09:00

	4	(bandwidth adj1 request\$1) and (multi adj10 (queue\$1 or buffer\$1)) and @ad<20000303	USPAT; US-PGPUB;	2003/11/24 09:19
			EPO; JPO; DERWENT; IBM_TDB	
-	1	(bandwidth adj5 request\$1) and (global adj10 (queue\$1 or buffer\$1)) and @ad<20000303 and (local adj10 (queue\$1	USPAT; US-PGPUB;	2003/11/24 09:08
		or buffer\$1))	EPO; JPO; DERWENT;	
-	0	(bandwidth adj5 request\$1) and (global adj1 (queue\$1 or	IBM_TDB USPAT;	2003/11/24 09:08
	·	buffer\$1)) and @ad<20000303 and (local adj1 (queue\$1 or buffer\$1))	US-PGPUB; EPO; JPO; DERWENT;	
-	21	(CAC or connection adj1 admission adj1 control\$1) and (multi adj10 (queue\$1 or buffer\$1)) and @ad<20000303	IBM_TDB USPAT; US-PGPUB;	2003/11/24 09:20
		(multi adj10 (quede\$1 or buner\$1)) and @ad 20000000	EPO; JPO; DERWENT;	
-	4	("5280483"   "5583857"   "5745478"   "5872771").PN.	IBM_TDB   USPAT	2003/11/24 09:32
-	11	("3634628"   "4813036"   "4931802"   "4941199"   "5274627"   "5519704"   "5555443"   "5579307"   "5619211"   "5724358"   "5894473").PN.	USPAT	2003/11/24 09:39
-	1399	(bandwidth adj1 allocation) and (queue\$ or buffer\$1) and (channel\$1)	USPAT; US-PGPUB;	2003/11/24 10:39
			EPO; JPO; DERWENT;	
-	19	((bandwidth adj1 allocation) and (queue\$ or buffer\$1) and (channel\$1)) and 370/395.1.ccls.	IBM_TDB USPAT; US-PGPUB;	2003/11/24 10:39
			EPO; JPO; DERWENT; IBM_TDB	
-	870	((bandwidth adj1 allocation) and (queue\$ or buffer\$1) and (channel\$1)) and @ad<20000303	USPAT; US-PGPUB;	2003/11/24 11:23
			EPO; JPO; DERWENT; IBM_TDB	
-	13	(((bandwidth adj1 allocation) and (queue\$ or buffer\$1) and (channel\$1)) and @ad<20000303) and 370/395.1.ccls.	USPAT; US-PGPUB;	2003/11/24 10:39
			EPO; JPO; DERWENT; IBM_TDB	
-	1754	(bandwidth near2 allocation) and (queue\$ or buffer\$1) and (channel\$1)	USPAT; US-PGPUB;	2003/11/24 12:35
			EPO; JPO; DERWENT; IBM_TDB	
-	23	((bandwidth near2 allocation) and (queue\$ or buffer\$1) and (channel\$1)) and 370/395.1.ccls.	USPAT; US-PGPUB;	2003/11/24 11:07
			EPO; JPO; DERWENT; IBM_TDB	
-	23	(((bandwidth near2 allocation) and (queue\$ or buffer\$1) and (channel\$1)) and 370/395.1.ccls.) and 370/395.1.ccls.	USPAT; US-PGPUB;	2003/11/24 10:49
			EPO; JPO; DERWENT; IBM_TDB	

		_		
-	2	("6396834").PN.	USPAT; US-PGPUB; EPO; JPO;	2003/11/24 10:49
-	13	((bandwidth near2 allocation) and (queue\$ or buffer\$1) and	DERWENT; IBM_TDB USPAT;	2003/11/24 11:23
		(channel\$1)) and 370/395.2.ccls.	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
-	2	("5872786").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/24 11:10
-	34	((bandwidth near2 allocation) and (queue\$ or buffer\$1) and (channel\$1)) and 370/395.21.ccls.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/24 11:35
-	25	(((bandwidth near2 allocation) and (queue\$ or buffer\$1) and (channel\$1)) and 370/395.21.ccls.) and @ad<20000303	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/24 11:23
-	18806263	((bandwidth near2 allocation) and (queue\$ or buffer\$1) and (channel\$1)) and 370/395.41.ccls. @ad<20000303	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/24 11:36
-	9	((bandwidth near2 allocation) and (queue\$ or buffer\$1) and (channel\$1)) and 370/395.41.ccls. and @ad<20000303	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/24 11:42
-	11	((bandwidth near2 allocation) and (queue\$ or buffer\$1) and (channel\$1)) and 370/395.42.ccls. and @ad<20000303	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/24 11:53
-	13	((bandwidth near2 allocation) and (queue\$ or buffer\$1) and (channel\$1)) and 370/395.43.ccls. and @ad<20000303	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/24 11:58
-	9	((bandwidth near2 allocation) and (queue\$ or buffer\$1) and (channel\$1)) and 370/321.ccls. and @ad<20000303	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/24 12:15
-	8	("5172375"   "5572517"   "5638371"   "5689568"   "6175557"   "6192026"   "6230152"   "6347085").PN.	USPAT	2003/11/24 12:04
-	16	("4273962"   "4319353"   "4322845"   "4330857"   "4424417"   "4507781"   "4642806"   "4774707"   "4870642"   "4888769"   "4995096"   "5072445"   "5309439"   "5392450"   "5434850"   "5446733").PN.	USPAT	2003/11/24 12:07
-	5	((bandwidth near2 allocation) and (queue\$ or buffer\$1) and (channel\$1)) and 370/322.ccls. and @ad<20000303	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/24 12:19

-	1	((bandwidth near2 allocation) and (queue\$ or buffer\$1) and (channel\$1)) and 370/323.ccls. and @ad<20000303	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/24 12:22
			IBM_TDB	
l <u>-</u>	3	("4491947"   "5003534"   "5392450").PN.	USPAT	2003/11/24 12:19
<u>-</u>	3	6381228.URPN.	USPAT	2003/11/24 12:20
-	Ö	((bandwidth near2 allocation) and (queue\$ or buffer\$1) and	USPAT;	2003/11/24 12:34
		(channel\$1)) and 370/325.ccls. and @ad<20000303	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/21 12:01
-	57	((bandwidth near2 allocation) and (queue\$ or buffer\$1) and (channel\$1)) and 370/230.ccls. and @ad<20000303	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/24 12:22
-	0	(bandwidth near2 allocation) and (queue\$ or buffer\$1) and (4004098.PN. and ((on-board adj1 switch) and @ad<20000303))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/24 12:35
-	0	(bandwidth near2 allocation) and (4004098.PN. and ((on-board adj1 switch) and @ad<20000303))	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/24 12:35
-	52	370/325.ccls. and @ad<20000303	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/11/24 13:46
			DERWENT; IBM_TDB	
1_	2	("6366776"   "6377561"   "2002/0054576").PN.	USPAT	2003/11/24 12:37
-	11	("3634628"   "4813036"   "4931802"   "4941199"   "5274627"   "5519704"   "5555443"   "5579307"	USPAT	2003/11/24 12:37
-	190	"5619211"   "5724358"   "5894473").PN. 370/321.ccls. and @ad<20000303	USPAT; US-PGPUB;	2003/11/24 13:48
-	16162	((bandwidth\$1 or channe\$1l or resource\$1) near5 (request\$1 or allocation\$1)) and (queue\$1 or buffer\$1 or	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB;	2003/11/24 13:48
	39	fifo) (((bandwidth\$1 or channe\$1l or resource\$1) near5	EPO; JPO; DERWENT; IBM_TDB USPAT;	2003/11/24 14:18
-	39	(((bandwidth\$1 or chainle\$1) or resource\$1) hears (request\$1 or allocation\$1)) and (queue\$1 or buffer\$1 or fifo)) and 370/321.ccls. and @ad<20000303	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/27 17.10
-	16	("4273962"   "4319353"   "4322845"   "4330857"   "4424417"   "4507781"   "4642806"   "4774707"   "4870642"   "4888769"   "4995096"   "5072445"	USPAT	2003/11/24 14:08
-	20	"5309439"   "5392450"   "5434850"   "5446733").PN. (((bandwidth\$1 or channe\$1! or resource\$1) near5 (request\$1 or allocation\$1)) and (queue\$1 or buffer\$1 or fifo)) and 370/322.ccls. and @ad<20000303	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/24 15:32
			IBM_TDB	

-	5	(((bandwidth\$1 or channe\$1  or resource\$1) near5 (request\$1 or allocation\$1)) and (queue\$1 or buffer\$1 or fifo)) and 370/325.ccls. and @ad<20000303	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/24 15:45
-	7	(((bandwidth\$1 or channe\$1 or resource\$1) near5 (request\$1 or allocation\$1)) and (queue\$1 or buffer\$1 or fifo)) and 370/326.ccls. and @ad<20000303	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/24 14:35
-	80	(((bandwidth\$1 or channe\$1l or resource\$1) near5 (request\$1 or allocation\$1)) and (queue\$1 or buffer\$1 or fifo)) and 370/329.ccls. and @ad<20000303	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/24 14:59
-	71	((((bandwidth\$1 or channe\$1l or resource\$1) near5 (request\$1 or allocation\$1)) and (queue\$1 or buffer\$1 or fifo)) and 370/329.ccls. and @ad<20000303) and (timeslot\$ or TDMA or slot\$1)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/24 15:12
-	41	(((bandwidth\$1 or channe\$1l or resource\$1) near5 (request\$1 or allocation\$1)) and (queue\$1 or buffer\$1 or fifo)) and 370/341.ccls. and @ad<20000303	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/24 15:03
-	28	(((bandwidth\$1 or channe\$1  or resource\$1) near5 (request\$1 or allocation\$1)) and (queue\$1 or buffer\$1 or fifo)) and 370/345.ccls. and @ad<20000303	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/24 15:09
-	24	(((bandwidth\$1 or channe\$1l or resource\$1) near5 (request\$1 or allocation\$1)) and (queue\$1 or buffer\$1 or fifo)) and 455/452.1.ccls. and @ad<20000303	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/24 15:12
-	85	(((bandwidth\$1 or channe\$1l or resource\$1) near5 (request\$1 or allocation\$1)) and (queue\$1 or buffer\$1 or fifo)) and 455/450.ccls. and @ad<20000303	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/24 15:12
-	60	((((bandwidth\$1 or channe\$1l or resource\$1) near5 (request\$1 or allocation\$1)) and (queue\$1 or buffer\$1 or fifo)) and 455/450.ccls. and @ad<20000303) and (timeslot\$ or TDMA or slot\$1)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/24 15:48
-	18	((((bandwidth\$1 or channe\$1l or resource\$1) near5 (request\$1 or allocation\$1)) and (queue\$1 or buffer\$1 or fifo)) and 455/450.ccls. and @ad<20000303) and (timeslot\$ or TDMA or slot\$1) and satellite\$1	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/24 15:22
-	0	multi-level adj1 queue\$1 and satellite\$1	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/11/24 15:23
-	0	multi-level adj1 queue\$1 and (bandwidth-on-demand or BOD)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/24 15:24

-	0	multi adj3 queue\$1 and (bandwidth-on-demand or BOD)	USPAT; US-PGPUB;	2003/11/24 15:24
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	0	multi adj5 queue\$1 and (bandwidth-on-demand or BOD)	USPAT; US-PGPUB;	2003/11/24 15:24
 			EPO; JPO;	
			DERWENT;	
	6	multi-level adj1 queue\$1	IBM_TDB USPAT;	2003/11/24 15:29
	_		US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	10	multi-level adj1 buffer\$1	USPAT;	2003/11/24 15:28
			US-PGPUB; EPO; JPO;	
			DERWENT;	
	9	multi-stage\$1 adj1 queue\$1	IBM_TDB USPAT;	2003/11/24 15:32
		mulu-sageși auji queucși	US-PGPUB;	2003/11/24 13.32
			EPO; JPO;	
			DERWENT; IBM_TDB	
-	47	multi-stage\$1 adj1 buffer\$1	USPAT;	2003/11/24 15:32
			US-PGPUB; EPO; JPO;	•
			DERWENT;	
	27	(	IBM_TDB	2002/11/24 17:12
-	37	(multi-stage\$1 adj1 buffer\$1 ) and @ad<20000303	USPAT; US-PGPUB;	2003/11/24 17:12
			EPO; JPO;	
			DERWENT; IBM_TDB	
-	25	(((bandwidth\$1 or channe\$1l or resource\$1) near5	USPAT;	2003/11/25 11:25
		(request\$1 or allocation\$1)) and (queue\$1 or buffer\$1 or fifo)) and 370/316.ccls. and @ad<20000303	US-PGPUB; EPO; JPO;	
	:	illo)) and 370/310.ccis. and @ad<20000303	DERWENT;	
		///honduidthed on the model on more model moon.	IBM_TDB	2002/11/24 15:52
-	53	(((bandwidth\$1 or channe\$1 or resource\$1) near5 (request\$1 or allocation\$1)) and (queue\$1 or buffer\$1 or	USPAT; US-PGPUB;	2003/11/24 15:52
		fifo)) and 370/442.ccls. and @ad<20000303	EPO; JPO;	
			DERWENT; IBM_TDB	
-	1	(5864546.PN. and ((on-board adj1 switch) and	USPAT;	2003/11/24 15:53
		@ad<20000303)) and (timeslot\$ or TDMA or slot\$1)	US-PGPUB; EPO; JPO;	
			DERWENT;	
		(11440550011   11455040511   1145040511   1145040511	IBM_TDB	2002/44/24 45 = 5
-	19	("4425639"   "4660196"   "4901310"   "4931802"     "5191576"   "5283780"   "5293382"   "5299192"	USPAT	2003/11/24 15:50
		"5303393"   "5347548"   "5416774"   "5418782"		
:		"5455823"   "5473601"   "5521934"   "5550812"   "5555547"   "5583562"   "5689245").PN.		
-	96	(((bandwidth\$1 or channe\$1l or resource\$1) near5	USPAT;	2003/11/24 18:29
		(request\$1 or allocation\$1)) and (queue\$1 or buffer\$1 or	US-PGPUB;	
		fifo)) and 370/458.ccls. and @ad<20000303	EPO; JPO; DERWENT;	
			IBM_TDB	

-	51	(((((bandwidth\$1 or channe\$1l or resource\$1) near5 (request\$1 or allocation\$1)) and (queue\$1 or buffer\$1 or fifo)) and 370/442.ccls. and @ad<20000303) and (timeslot\$	USPAT; US-PGPUB; EPO; JPO;	2003/11/24 16:18
		or TDMA or slot\$1)	DERWENT;	
-	0	("9270356.ap.").PN.	IBM_TDB USPAT;	2003/11/24 16:18
	0	09270356.ap.	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2003/11/24 16:19
		. 03270330.ар.	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/21 10:13
-	5	270356.ap.	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/24 17:07
-	11	onboard adj10 satellite adj10 switch\$2	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/11/24 17:11
-	391	onboard adj10 satellite	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/11/24 17:11
-	254	(onboard adj10 satellite ) and @ad<20000303	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/11/24 17:12
-	14	(((bandwidth\$1 or channe\$1l or resource\$1) near5 (request\$1 or allocation\$1)) and (queue\$1 or buffer\$1 or fifo)) and ((onboard adj10 satellite ) and @ad<20000303)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/24 18:18
-	2	("6366761").PN.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/24 18:29
-	13	("5132964"   "5251209"   "5363374"   "5592470"   "5699355"   "5774668"   "5826169"   "5920701"   "5995805"   "6058307"   "6094575"   "6111863"   "6141534").PN.	IBM_TDB USPAT	2003/11/24 18:18
-	3	6366761.URPN.	USPAT	2003/11/24 18:26
-	1312	455/12.1.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/24 18:29
•	69	(((bandwidth\$1 or channe\$1  or resource\$1) near5 (request\$1 or allocation\$1)) and (queue\$1 or buffer\$1 or fifo)) and 455/12.1.ccls. and @ad<20000303	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/24 19:14

		<del>_</del>		
•	2	("5463620").PN.	USPAT; US-PGPUB;	2003/11/24 19:15
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
١.	2	("6240066").PN.	USPAT;	2003/11/24 19:17
-		( 0240000 ).FN.	US-PGPUB;	2003/11/24 13.17
}	! 		EPO; JPO;	:
			DERWENT;	
İ	İ		IBM_TDB	
_	2	("6377561").PN.	USPAT;	2003/11/24 19:18
	*	( 03/7301 ).FN.	US-PGPUB;	2003/11/24 13.10
1	İ		EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	11	("3634628"   "4813036"   "4931802"   "4941199"	USPAT	2003/11/24 19:18
	**	"5274627"   "5519704"   "5555443"   "5579307"	OSIAI	2003/11/21 13.10
1		"5619211"   "5724358"   "5894473").PN.		
<b> </b> _	2	("5870396").PN.	USPAT;	2003/11/24 19:23
		( 3070330 J.FN.	US-PGPUB;	2003/11/27 13.23
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	3	("5126999"   "5128931"   "5689505").PN.	USPAT	2003/11/24 19:20
-	2	( 3120333	USPAT;	2003/11/24 19:23
	~	( 0113707 ) II.	US-PGPUB;	2003/11/21 13:23
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	6	("4004098"   "4736371"   "5805577"   "5991279"	USPAT	2003/11/24 19:24
	Ĭ	"6157621"   "6189044").PN.	00.7.1	2005/11/21 15:21
_	1360	370/468.ccls.	USPAT;	2003/11/25 13:36
	1500	37.57 100.101.1	US-PGPUB;	2000,11,25 10.00
			EPO; JPO;	
i			DERWENT;	
			IBM_TDB	
_	10754	(((bandwidth\$1 or channe\$1  or resource\$1) near5	USPAT;	2003/11/25 11:25
		(request\$1 or allocation\$1)) and (queue\$1 or buffer\$1 or	US-PGPUB;	
		fifo)) and @ad<20000303	EPO; JPO;	
		,, <del>,</del> = <del>-</del> -	DERWENT;	
			IBM_TDB	
-	358	370/468.ccls. and ((((bandwidth\$1 or channe\$1l or	USPAT;	2003/11/25 11:27
		resource\$1) near5 (request\$1 or allocation\$1)) and	US-PGPUB;	
		(queue\$1 or buffer\$1 or fifo)) and @ad<20000303)	EPO; JPO;	
		,	DERWENT;	
			IBM_TDB '	
-	79	(370/468.ccls. and ((((bandwidth\$1 or channe\$1l or	USPAT;	2003/11/25 13:58
		resource\$1) near5 (request\$1 or allocation\$1)) and	US-PGPUB;	
	<del>{</del>	(queue\$1 or buffer\$1 or fifo)) and @ad<20000303)) and	EPO; JPO;	
	1	satellite\$1	DERWENT;	
	İ		IBM_TDB	
-	223	370/437.ccls.	USPAT;	2003/11/25 12:24
	[		US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	ŀ		IBM_TDB	
-	34	370/437.ccls. and satellite\$1	USPAT;	2003/11/25 13:02
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
L	<u> </u>		IBM_TDB	

			<del></del>	
-	1123	370/412.ccls.	USPAT;	2003/11/25 13:15
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	83	370/412.ccls. and satellite\$1	USPAT;	2003/11/25 13:02
	ļ		US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	16	((((bandwidth\$1 or channe\$1l or resource\$1) near5	USPAT;	2003/11/25 13:02
		(request\$1 or allocation\$1)) and (queue\$1 or buffer\$1 or	US-PGPUB;	
		fifo)) and @ad<20000303) and (370/412.ccls. and	EPO; JPO;	
		satellite\$1)	DERWENT;	
			IBM_TDB	
-	50	((370/468.ccls. and ((((bandwidth\$1 or channe\$1) or	USPAT;	2003/11/25 13:57
		resource\$1) near5 (request\$1 or allocation\$1)) and	US-PGPUB;	, ,
		(queue\$1 or buffer\$1 or fifo)) and @ad<20000303)) and	EPO; JPO;	
	1	satellite\$1) and ((time adj1 slot\$1 or tdma))	DERWENT;	
		, -, -, -, -, -, -, -, -, -, -, -, -, -,	IBM_TDB	
-	749	370/329.ccls.	USPAT;	2003/11/25 13:53
			US-PGPUB;	,,,
			EPO; JPO;	
			DERWENT;	
ŀ			IBM_TDB	
_	80	((((bandwidth\$1 or channe\$1l or resource\$1) near5	USPAT;	2003/11/25 13:53
		(((bandwidg)) or channey) and (queue\$1 or buffer\$1 or	US-PGPUB;	2003/11/23 13:33
ļ		fifo)) and @ad<20000303) and 370/329.ccls.	EPO; JPO;	
		1110)) and @ad \20000303) and 370/323.cci3.	DERWENT;	
İ			IBM_TDB	
1_	64	(((((bandwidth\$1 or channe\$1  or resource\$1) near5	USPAT;	2003/11/25 13:37
}	0.1	(request\$1 or allocation\$1)) and (queue\$1 or buffer\$1 or	US-PGPUB;	2003/11/23 13.37
		fifo)) and @ad<20000303) and 370/329.ccls.) and ((time	EPO; JPO;	
		adj1 slot\$1 or tdma))	DERWENT;	
		adji slotpi di tamaji	IBM_TDB	
_	227	370/336.ccls.	USPAT;	2003/11/25 13:57
-	221	370/330.ccis.	US-PGPUB;	2003/11/23 13.37
			EPO; JPO;	
			DERWENT;	
	1		IBM_TDB	
_	26	((((bandwidth\$1 or channe\$1l or resource\$1) near5	USPAT;	2003/11/25 13:57
	20	(((\text{Candwidth}) or \text{Channes}) or \text{To resource}) \text{lears} \text{(request} or \text{allocation}) \text{and (queue} or \text{buffer}) \text{or}	US-PGPUB;	2003/11/23 13.37
	1	fifo)) and @ad<20000303) and 370/336.ccls.	EPO; JPO;	
	1	moj) and wad 120000000 and 070/000000	DERWENT;	
			IBM_TDB	
_	696	370/337.ccls.	USPAT;	2003/11/25 13:57
		37 9 337 1003.	US-PGPUB;	
	1		EPO; JPO;	
	1		DERWENT;	
			IBM_TDB	
1_	78	((((bandwidth\$1 or channe\$1l or resource\$1) near5	USPAT;	2003/11/25 13:57
]	/*	((((ballumiduf)) or challies)) or resources) hears (request\$1 or allocation\$1)) and (queue\$1 or buffer\$1 or	US-PGPUB;	2003/11/23 13.37
		fifo)) and @ad<20000303) and 370/337.ccls.	EPO; JPO;	
	1	1110)) and wad~2000000) and 370/337.CC15.	DERWENT;	
	1		IBM_TDB	
	75	////bandwidth\$1 or channe\$1! or recourse\$1\ noarE	USPAT;	2003/11/25 13:50
-	75	((((((bandwidth\$1 or channe\$1  or resource\$1) near5	US-PGPUB;	2003/11/25 13:58
		(request\$1 or allocation\$1)) and (queue\$1 or buffer\$1 or fifo)) and @ad<20000303) and 370/337.ccls.) and ((time		
	1		EPO; JPO;	
	1	adj1 slot\$1 or tdma))	DERWENT;	
L	L	<u> </u>	IBM_TDB	l

USPAT;   U					
FPO, IPO; Satellite\$1   IBM, TDB   USPAT; US-FGFUB; FPO, IPO; DERWENT; IBM, TDB   USPAT; US-FGFUB; FPO, IPO; DERWENT; IBM, TDB   USPAT; US-FGFUB; FPO, IPO; DERWENT; IBM, TDB   USPAT;	-	35			2003/11/25 18:52
- 2 2 ("6366761").PN.					
2    ("6366761").PN.   USPAT, US-PGFUB; EPO, IPO, DERWENT; IBM_TDB USPAT, US-PGFUB; EPO, IPO, IPO, IPO, IPO, IPO, IPO, IPO, I				1 '	
C**   C**			satellite\$1		
- 4353 multi near5 (queue\$4 or buffer\$3)					
- 4353 multi near5 (queue\$4 or buffer\$3)	-	2	("6366761").PN.		2003/11/25 20:02
- 1574 multi near5 (queue\$4 or buffer\$3)	]	Į		US-PGPUB;	
- 1574 multi near5 (queue\$4 or buffer\$3)		j		EPO; JPO;	
- 4353 multi near5 (queue\$4 or buffer\$3)  - 1574 multi adj3 (queue\$4 or buffer\$3)  - 1574 multi adj3 (queue\$4 or buffer\$3)  - 17 multi-level\$1 adj1 (queue\$4 or buffer\$3)  - 18 multi-level\$1 adj1 (queue\$4 or buffer\$3)  - 19 (multi-level\$1 adj1 (queue\$4 or buffer\$3)  - 1125 parallel\$1 adj1 (queue\$4 or buffer\$3)  - 113 parallel\$1 adj1 (queue\$4 or buffer\$3)  - 114 parallel\$1 adj1 (queue\$4 or buffer\$3)  - 15 parallel\$1 adj1 (queue\$4 or buffer\$3)  - 17 multi-level\$1 adj1 (queue\$4 or buffer\$3)  - 18 parallel\$1 adj1 (queue\$4 or buffer\$3)  - 19 (multi-level\$1 adj1 (queue\$4 or buffer\$3)  - 10 parallel\$1 adj1 (queue\$4)  - 113 parallel\$1 adj1 (queue\$4)  - 114 parallel\$1 adj1 (queue\$4)  - 115 parallel\$1 adj1 (queue\$4)  - 116 parallel\$1 adj1 (queue\$4)  - 117 parallel\$1 adj1 (queue\$4)  - 118 parallel\$1 adj1 (queue\$4)  - 119 parallel\$1 adj1 (queue\$4)  - 110 para					
- 1574 multi near5 (queue\$4 or buffer\$3)				1	
- 1574 multi adj3 (queue\$4 or buffer\$3)	_	4353	multi near5 (queue\$4 or buffer\$3)		2003/11/25 20:03
- 1574 multi adj3 (queue\$4 or buffer\$3)  - 17 multi adj3 (queue\$4 or buffer\$3)  - 17 multi-level\$1 adj1 (queue\$4 or buffer\$3)  - 18 (multi-level\$1 adj1 (queue\$4 or buffer\$3)) and			main nound (quound ) or burnerys)		=====================================
- 1574 multi adj3 (queue\$4 or buffer\$3)  - 17 multi-level\$1 adj1 (queue\$4 or buffer\$3)  - 18 multi adj3 (queue\$4 or buffer\$3)  - 17 multi-level\$1 adj1 (queue\$4 or buffer\$3)  - 18 multi adj3 (queue\$4 or buffer\$3)  - 19 (multi-level\$1 adj1 (queue\$4 or buffer\$3)) and					
- 1574 multi adj3 (queue\$4 or buffer\$3)  - 17 multi-level\$1 adj1 (queue\$4 or buffer\$3)  - 17 multi-level\$1 adj1 (queue\$4 or buffer\$3)  - 9 (multi-level\$1 adj1 (queue\$4 or buffer\$3)) and					
1574   multi adj3 (queue\$4 or buffer\$3)				1	
US-PGPUB; EPO; IPO; DERWENT; IBM_TDB   US-PGPUB; IPO; IPO; DERWENT; IBM_TDB   US-PGPUB; IPO; IPO; DERWENT; IPO; IPO; DERWENT; IPO; IPO; DERWENT; IPO; IPO; DERWENT; IPO; IPO; DERWENT; IPO; IPO; DERWENT; IPO; IPO; DERWENT; IPO; IPO; DERWENT; IPO; IPO; DERWENT; IPO; IPO; IPO; IPO; IPO; IPO; IPO; IPO	1_	1574	multi adi3 (queuet4 or huffert3)	_	2003/11/25 20:03
EPO; JPO; DERWENT; IBM_TDB   USPAT; US-PGPUB; EPO; JPO; DERWENT; I	-	15/4	Thuili aujo (quedes 4 or buller \$5)		2003/11/23 20.03
DERWENT; IBM_TDB   17					
Total   Tota					
- 117 multi-level\$1 adj1 (queue\$4 or buffer\$3) USPAT; US-PGPUB; EPC); IPC); DERWENT; IBM_TDB USPAT; US-PGPUB; EPC); IPC); DERWENT; IBM_TDB USPAT; US-PGPUB; EPC); IPC); DERWENT; IBM_TDB USPAT; US-PGPUB; EPC); IPC); DERWENT; IBM_TDB USPAT; US-PGPUB; EPC); IPC); DERWENT; IBM_TDB USPAT; US-PGPUB; EPC); IPC); DERWENT; IBM_TDB USPAT; US-PGPUB; EPC); IPC); DERWENT; IBM_TDB USPAT; US-PGPUB; EPC); IPC); DERWENT; IBM_TDB USPAT; US-PGPUB; EPC); IPC); DERWENT; IBM_TDB USPAT; US-PGPUB; EPC); IPC); DERWENT; IBM_TDB USPAT; US-PGPUB; EPC); IPC); DERWENT; IBM_TDB USPAT; US-PGPUB; EPC); IPC); DERWENT; IBM_TDB USPAT; US-PGPUB; EPC); IPC); DERWENT; IBM_TDB USPAT; US-PGPUB; EPC); IPC); DERWENT; IBM_TDB USPAT; US-PGPUB; EPC); IPC); DERWENT; IBM_TDB USPAT; US-PGPUB; EPC); IPC); DERWENT; IBM_TDB USPAT; US-PGPUB; EPC); IPC); IPC; DERWENT; IBM_TDB USPAT; US-PGPUB; EPC); IPC; IPC; IPC; IPC; IPC; IPC; IPC; IPC					
S-PGPUB; EPO; JPO; DERWENT; IBM_TDB   2003/11/26 09:30   2003/11/26 09:30   2003/11/26 09:30   2003/11/26 09:30   2003/11/26 09:30   2003/11/26 09:30   2003/11/26 09:30   2003/11/26 09:30   2003/11/26 09:30   2003/11/26 09:30   2003/11/26 09:30   2003/11/26 09:30   2003/11/26 09:30   2003/11/26 09:30   2003/11/26 09:30   2003/11/26 09:30   2003/11/26 09:30   2003/11/25 20:07   2003/11/25					2000/:::27
- 9 (multi-level\$1 adj1 (queue\$4 or buffer\$3)) and	-	17	multi-level\$1 adj1 (queue\$4 or buffer\$3)		2003/11/25 20:07
- 9 (multi-level\$1 adj1 (queue\$4 or buffer\$3)) and					Ĺ
- 1125 parallel\$1 adj1 (queue\$4 or buffer\$3)) and USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; USPGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; JPO;					ĺ
- 1125 parallel\$1 adj1 (queue\$4 or buffer\$3)) and				DERWENT;	
@ad<20000303  @ad<20000303  US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-P				IBM_TDB	
@ad<20000303  @ad<20000303  US-PGPUB, EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; USPAT; USPAT; USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM	-	9	(multi-level\$1 adi1 (queue\$4 or buffer\$3)) and		2003/11/26 09:30
- 1125 parallel\$1 adj1 (queue\$4 or buffer\$3)  - 113 parallel\$1 adj1 (queue\$4)  - 113 parallel\$1 adj1 (queue\$4)  - 114 parallel\$1 adj1 (queue\$4)  - 84 (parallel\$1 adj1 (queue\$4)) and @ad<20000303  - 84 (parallel\$1 adj1 (queue\$4)) and @ad<20000303  - 84 (parallel\$1 adj1 (queue\$4)) and @ad<20000303  - 95 popub; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERW					
- 1125 parallel\$1 adj1 (queue\$4 or buffer\$3)  - 113 parallel\$1 adj1 (queue\$4)  - 113 parallel\$1 adj1 (queue\$4)  - 114 parallel\$1 adj1 (queue\$4)  - 115 parallel\$1 adj1 (queue\$4)  - 116 parallel\$1 adj1 (queue\$4) and @ad<20000303  - 117 parallel\$1 adj1 (queue\$4) and @ad<20000303  - 117 parallel\$1 adj1 (queue\$4) and @ad<20000303  - 117 parallel\$1 adj1 (queue\$4) and @ad<20000303  - 117 parallel\$1 adj1 (queue\$4) and @ad<20000303  - 117 parallel\$1 adj1 (queue\$4) and @ad<20000303  - 117 parallel\$1 adj1 (queue\$4) and @ad<20000303  - 117 parallel\$1 adj1 (queue\$4) and @ad<20000303  - 117 parallel\$1 adj1 (queue\$4) and @ad<20000303  - 117 parallel\$1 adj1 (queue\$4) and @ad<20000303  - 117 parallel\$1 adj1 (queue\$4) and @ad<20000303  - 117 parallel\$1 adj1 (queue\$4) and @ad<20000303  - 117 parallel\$1 adj1 (queue\$4) and @ad<20000303  - 117 parallel\$1 adj1 (queue\$4) and @ad<20000303  - 117 parallel\$1 adj1 (queue\$4) and @ad<20000303  - 117 parallel\$1 adj1 (queue\$4) and @ad<20000303  - 117 parallel\$1 adj1 (queue\$4) and @ad<20000303  - 117 parallel\$1 adj1 (queue\$4) and @ad<20000303  - 117 parallel\$1 adj1 (queue\$4) and @ad<20000303  - 117 parallel\$1 adj1 (queue\$4) and @ad<20000303  - 117 parallel\$1 adj1 (queue\$4) and @ad<20000303  - 117 parallel\$1 adj1 (queue\$4) and @ad<20000303  - 118 parallel\$1 adj1 (queue\$4) and @ad<20000303  - 118 parallel\$1 adj1 (queue\$4) and @ad<20000303  - 118 parallel\$1 adj1 (queue\$4) and @ad<20000303  - 118 parallel\$1 adj1 (queue\$4) and @ad<20000303  - 118 parallel\$1 adj1 (queue\$4) and @ad<20000303  - 118 parallel\$1 adj1 (queue\$4) and @ad<20000303  - 118 parallel\$1 adj1 (queue\$4) and @ad<20000303  - 118 parallel\$1 adj1 (queue\$4) and @ad<20000303  - 118 parallel\$1 adj1 (queue\$4) and @ad<20000303  - 118 parallel\$1 adj1 (queue\$4) and @ad<20000303  - 118 parallel\$1 adj1 (queue\$4) and @ad<20000303  - 118 parallel\$1 adj1 (queue\$4) and @ad<20000303  - 118 parallel\$1 adj1 (queue\$4) and @ad<20000303  - 118 parallel\$1 adj1 (queue\$4) and @ad<20000303  - 118 parallel\$1 adj1 (queue\$4) and @ad<20000303  - 118 parallel\$1 a					
Time					
- 1125 parallel\$1 adj1 (queue\$4 or buffer\$3) USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT USPAT USPAT USPAT USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; USP					
US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT USPAT USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;	_	1125	narallel\$1 adi1 (queue\$4 or huffer\$3)		2003/11/25 20:07
- 113 parallel\$1 adj1 (queue\$4)	_	1125	parametar auji (queuea or buneras)		2003/11/23 20.07
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT USPAT USPAT USPAT USPAT USPAT USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPU					
- 113 parallel\$1 adj1 (queue\$4)	-				
- 113 parallel\$1 adj1 (queue\$4)  - 84 (parallel\$1 adj1 (queue\$4)) and @ad<20000303  - 84 (parallel\$1 adj1 (queue\$4)) and @ad<20000303  - 95 (parallel\$1 adj1 (queue\$4)) and @ad<20000303  - 10	1				
US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT USPAT USPAT USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; USPGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; USPGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; USPAT; USPGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; USPGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; USPGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; USPGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; USPGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; USPGPUB; EPO; JPO; DERWENT; ISPGPUB; E					2002/44/25 20:07
EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; ISPAT; US-PGPUB;	-	113	parallei\$1 adj1 (queue\$4)		2003/11/25 20:07
- 84 (parallel\$1 adj1 (queue\$4)) and @ad<20000303			,		:
- 84 (parallel\$1 adj1 (queue\$4)) and @ad<20000303   IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB		}			
- 84 (parallel\$1 adj1 (queue\$4)) and @ad<20000303 USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB;		1			
US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; EPO;	İ				
EPO; JPO; DERWENT; IBM_TDB  ("5280483"   "5583857"   "5745478"   "5872771").PN. (multi-stage\$1 adj1 (queue\$4 or buffer\$3)) and	-	84	(parallel\$1 adj1 (queue\$4)) and @ad<20000303		2003/11/25 20:07
- 4 ("5280483"   "5583857"   "5745478"   "5872771").PN 50 (multi-stage\$1 adj1 (queue\$4 or buffer\$3)) and (multi-stage\$1 adj1 (queue\$4 or buffer\$3)) and (multi-stage\$1 adj1 (queue\$4 or buffer\$3)) and (multi-stage\$1 adj1 (queue\$4 or buffer\$3)) and (multi-stage\$1 adj1 (queue\$4 or buffer\$3)) and (multi-stage\$1 adj1 (queue\$4 or buffer\$3)) and (multi-stage\$1 dip (multi-stage\$1 adj1 (queue\$4 or buffer\$3)) and (multi-stage\$1 multi-stage\$1 multi-stage\$1 adj1 (queue\$4 or buffer\$3)) and (multi-stage\$1 multi-stage\$1 multi-s					
- 4 ("5280483"   "5583857"   "5745478"   "5872771").PN. (multi-stage\$1 adj1 (queue\$4 or buffer\$3)) and (@ad<20000303)  - 331 710/57.ccls.  2193573 buffer\$1 or queue\$1 or fifo or memroy or storage    Coulong					
- 4 ("5280483"   "5583857"   "5745478"   "5872771").PN. 50 (multi-stage\$1 adj1 (queue\$4 or buffer\$3)) and (multi-stage\$1 adj1 (queue\$4 or buffer\$3)) and (multi-stage\$1 adj1 (queue\$4 or buffer\$3)) and (multi-stage\$1 adj1 (queue\$4 or buffer\$3)) and (multi-stage\$1 adj1 (queue\$4 or buffer\$3)) and (multi-stage\$1 properties of the propertie				DERWENT;	
- 50 (multi-stage\$1 adj1 (queue\$4 or buffer\$3)) and				IBM_TDB	
- 50 (multi-stage\$1 adj1 (queue\$4 or buffer\$3)) and	-	4	("5280483"   "5583857"   "5745478"   "5872771").PN.	USPAT	2003/11/25 20:14
@ad<20000303  US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;	-	50		USPAT;	
EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;		1			
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;					
- 331 710/57.ccls. IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;		1			
- 331 710/57.ccls. USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;					
US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;	l <u>.</u>	221	710/57 ccls		2003/11/26 15:01
EPO; JPO; DERWENT; IBM_TDB  - 2193573 buffer\$1 or queue\$1 or fifo or memroy or storage USPAT; US-PGPUB; EPO; JPO; DERWENT; DERWENT;	-	331	/ 10/37.CCI3.		2003,11,20 13.01
DERWENT; IBM_TDB  2193573 buffer\$1 or queue\$1 or fifo or memroy or storage  USPAT; US-PGPUB; EPO; JPO; DERWENT;					
Language Page 1 or queue\$1 or fifo or memroy or storage      Section 2193573   Defention of the property of th					
- 2193573 buffer\$1 or queue\$1 or fifo or memroy or storage USPAT; US-PGPUB; EPO; JPO; DERWENT;					
US-PGPUB; EPO; JPO; DERWENT;					20024: 125 : 5 5
EPO; JPO; DERWENT;	•	2193573	buffer\$1 or queue\$1 or fifo or memroy or storage		2003/11/26 10:02
DERWENT;					
IBM_TDB					
		L		IBM_TDB	

-	1650603	(buffer\$1 or queue\$1 or fifo or memroy or storage) and @ad<20000303	USPAT; US-PGPUB;	2003/11/26 14:06
			EPO; JPO; DERWENT;	
-	286	710/57.ccls. and ((buffer\$1 or queue\$1 or fifo or memroy or storage) and @ad<20000303)	IBM_TDB USPAT; US-PGPUB;	2003/11/26 10:04
		Storage) and wed-20000303)	EPO; JPO; DERWENT;	
	241	(710/57.ccls. and ((buffer\$1 or queue\$1 or fifo or memroy	IBM_TDB USPAT;	2003/11/26 10:06
		or storage) and @ad<20000303)) and (threshold\$1 or size\$1 or length\$1)	US-PGPUB; EPO; JPO;	, ,
	42	//740/57	DERWENT; IBM_TDB	2002/11/25 14/07
-	42	((710/57.ccls. and ((buffer\$1 or queue\$1 or fifo or memroy or storage) and @ad<20000303)) and (threshold\$1 or size\$1 or length\$1)) and (fill\$4 same (queue or buffer) same	USPAT; US-PGPUB; EPO; JPO;	2003/11/26 14:07
		(threshold or size or length))	DERWENT; IBM_TDB	
	11	(working or active) adj1 (queue\$1 or buffer\$1) and (protection or standby) adj1 (queue\$1 or buffer\$1)	USPAT; US-PGPUB;	2003/11/26 10:44
			EPO; JPO; DERWENT;	
-	0	(switching or fill\$4) adj10 (first adj1 (queue or buffer)) adj10 (second adj1 (queue or buffer)) adj10 ((detect\$ or	IBM_TDB USPAT; US-PGPUB;	2003/11/26 10:47
		exceed\$4) adj10 threshold\$3)	EPO; JPO; DERWENT;	
-	5	(switching or fill\$4) same (first adj1 (queue or buffer)) same	IBM_TDB USPAT;	2003/11/26 10:48
		(second adj1 (queue or buffer)) same ((detect\$ or exceed\$4) adj10 threshold\$3)	US-PGPUB; EPO; JPO;	
_	11	(switching or fill\$4) same (first adj10 (queue or buffer))	DERWENT; IBM_TDB USPAT;	2003/11/26 12:18
	**	same (second adj10 (queue or buffer)) same ((detect\$ or exceed\$4) adj10 threshold\$3)	US-PGPUB; EPO; JPO;	2003/11/20 12:10
			DERWENT; IBM_TDB	
-	2	("5960215").PN.	USPAT; US-PGPUB;	2003/11/26 12:19
			EPO; JPO; DERWENT; IBM_TDB	
-	1	(((710/57.ccls. and ((buffer\$1 or queue\$1 or fifo or memroy or storage) and @ad<20000303)) and (threshold\$1 or	USPAT; US-PGPUB;	2003/11/26 12:19
		size\$1 or length\$1)) and (fill\$4 same (queue or buffer) same (threshold or size or length))) and (("5960215").PN.)	EPO; JPO; DERWENT;	
-	2556	(redundan\$4 or backup or standby or failover) adj1 (queue or buffer or memeory or storage)	IBM_TDB USPAT; US-PGPUB;	2003/11/26 13:48
		or bunct of memeory of storage)	EPO; JPO; DERWENT;	
	92	(redundan\$4 or backup or standby or failover) adj1 (queue)	IBM_TDB USPAT;	2003/11/26 13:48
			US-PGPUB; EPO; JPO;	
			DERWENT; IBM_TDB	

				_
-	1	(5410670.PN. and ((parallel\$1 adj1 (queue\$4)) and @ad<20000303)) and (threshold or size or length)	USPAT; US-PGPUB;	2003/11/26 13:49
		Gaa (2000000)) and (an osholo or oleo or langur)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	51	((redundan\$4 or backup or standby or failover) adj1	USPAT;	2003/11/26 14:06
		(queue)) and (threshold or size or length)	US-PGPUB;	, ,
i	İ		EPO; JPO;	
ŧ.			DERWENT;	
			IBM_TDB	
-	37	(((redundan\$4 or backup or standby or failover) adj1	USPAT;	2003/11/26 13:50
		(queue)) and (threshold or size or length)) and	US-PGPUB;	
		@ad<20000303	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1104	370/412.ccls. and (buffer\$1 or queue\$1 or fifo or memroy or	USPAT;	2003/11/26 14:06
		storage)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	699	(370/412.ccls. and (buffer\$1 or queue\$1 or fifo or memroy	USPAT;	2003/11/26 14:06
		or storage)) and @ad<20000303	US-PGPUB;	
1			EPO; JPO;	
			DERWENT;	
		(/270/442   1   1/1   60   14   1   1   16   17   17   17   17   17	IBM_TDB	2002/44/26 44.06
j -	635	((370/412.ccls. and (buffer\$1 or queue\$1 or fifo or memroy	USPAT;	2003/11/26 14:06
		or storage)) and @ad<20000303) and (threshold or size or	US-PGPUB;	
1		length)	EPO; JPO;	
1			DERWENT;	
1_	91	(((370/412.ccls. and (buffer\$1 or queue\$1 or fifo or memroy	IBM_TDB USPAT;	2003/11/26 14:07
	31	or storage)) and @ad<20000303) and (threshold or size or	US-PGPUB;	2003/11/20 14.0/
		length)) and (fill\$4 same (queue or buffer) same (threshold	EPO; JPO;	
		or size or length))	DERWENT;	
		01 5125 01 10.1gu1//	IBM_TDB	
-	14	370/412.ccls. and fill\$1.ab.	USPAT;	2003/11/26 15:03
			US-PGPUB;	
	ļ		EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	238	370/412.ccls. and fill\$1	USPAT;	2003/11/26 15:03
1			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	224	(370/412.ccls. and fill\$1) not (370/412.ccls. and fill\$1.ab.)	USPAT;	2003/11/26 15:11
1	İ		US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		(1070/440 )	IBM_TDB	2002/44/25 := 2=
-	97	((370/412.ccls. and fill\$1) not (370/412.ccls. and fill\$1.ab.))	USPAT;	2003/11/26 15:26
		and queue\$1.ab.	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		USU tall and a few flames and a superior to the second and a superior to t	IBM_TDB	2002/11/20 15:20
-	10	"fill-in" same (buffer\$1 or queue\$1 or memor\$3) same	USPAT;	2003/11/26 15:29
		(threshold or watermark)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
L	L		IBM_TDB	

-	2616	370/412,428,429.ccls.	USPAT;	2003/11/26 15:31
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	350	370/412,428,429.ccls. and ((exceed\$3 or reach\$3) near5	USPAT;	2003/11/26 15:33
	ļ	(threshold or mark or full))	US-PGPUB;	i
			EPO; JPO;	
I	]		DERWENT;	
			IBM_TDB	
-	19830	(((exceed\$3 or reach\$3) near5 (threshold or mark or full))	USPAT;	2003/11/26 15:36
		same (buffer or memory or queue or storage))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	280	370/412,428,429.ccls. and ((((exceed\$3 or reach\$3) near5	USPAT;	2003/11/26 15:36
		(threshold or mark or full)) same (buffer or memory or	US-PGPUB;	2000/11/20 15:00
		queue or storage)))	EPO; JPO;	
		queue or storage///	DERWENT;	
1			IBM_TDB	
1_	230	(370/412,428,429.ccls. and ((((exceed\$3 or reach\$3) near5	USPAT;	2003/11/26 15:37
1	230	(threshold or mark or full)) same (buffer or memory or	US-PGPUB;	2003/11/20 13.37
		queue or storage)))) and (buffer or memory or queue or		
			EPO; JPO; DERWENT;	
		storage).ab.		
		//270/412 420 420 cds and ////sussedt2 ou usselt2) need	IBM_TDB	2002/44/26 47-24
-	51	((370/412,428,429.ccls. and ((((exceed\$3 or reach\$3) near5	USPAT;	2003/11/26 17:21
		(threshold or mark or full)) same (buffer or memory or	US-PGPUB;	
		queue or storage)))) and (buffer or memory or queue or	EPO; JPO;	
		storage).ab.) and (exceed\$3 or reach\$3).ab.	DERWENT;	
	_	(116577420411) 501	IBM_TDB	2002/44/25 40 52
-	2	("6574231").PN.	USPAT;	2003/11/26 18:53
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	
-	9	dynamic\$3 adj1 (buffer or queue) adj1 threshold\$4	USPAT;	2003/11/26 18:54
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	("6381228").PN.	USPAT;	2003/11/28 09:07
			US-PGPUB;	
	İ		EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	140	contention adj1 channel	USPAT;	2003/11/28 09:08
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	31	(contention adj1 channel) and data adj1 channel	USPAT;	2003/11/28 09:34
		(	US-PGPUB;	= = = = = = = = = = = = = = = = = = = =
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
<u>-</u>	0	piggyback\$4 same oversubscrib\$4	USPAT;	2003/11/28 09:50
	١	P.99/20014   501110 0101300501104	US-PGPUB;	2000, 11, 20 05.50
_			EPO; JPO;	
			DERWENT;	
	L		IBM_TDB	

-	0	piggyback\$4 same over-subscrib\$4	USPAT;	2003/11/28 09:35
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	piggyback\$4 same over adj1 subscrib\$4	USPAT;	2003/11/28 09:55
	!		US-PGPUB;	
	į		EPO; JPO;	
	ļ		DERWENT;	
			IBM_TDB	
-	2	piggyback\$4 and oversubscrib\$4	USPAT;	2003/11/28 09:56
	_	F-337 4 · · · · · · · · · · ·	US-PGPUB;	,
	ĺ		EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	229	oversubscrib\$4	USPAT;	2003/11/28 09:54
į	223	Oversubscribs 1	US-PGPUB;	2003/11/20 03.54
			EPO; JPO;	
			DERWENT;	
1_	30	oversubscrib\$4 and satellite\$1	IBM_TDB	2002/11/29 00:27
-	30	Oversubscrib\$4 and satellite\$1	USPAT;	2003/11/28 09:37
			US-PGPUB;	
	1		EPO; JPO;	
			DERWENT;	
	2244		IBM_TDB	2000 (4.4 (20.00.40
-	3214	piggyback\$4	USPAT;	2003/11/28 09:43
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	110	piggyback\$4 adj5 request\$1	USPAT;	2003/11/28 09:43
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	87	piggyback\$4 adj2 request\$1	USPAT;	2003/11/28 09:51
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	<b>l</b> .		IBM_TDB	
-	28	(piggyback\$4 adj2 request\$1) and satellite\$1	USPAT;	2003/11/28 09:43
			US-PGPUB;	, ,
-			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	o	oversubscrib\$4 adj5 channel\$1	USPAT;	2003/11/28 09:50
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
<b> </b> _ :	1213	over adj1 subscrib\$4	USPAT;	2003/11/28 09:55
	1213	TOTAL GUJI GUDGU IDA I	US-PGPUB;	2003/11/20 03.33
			EPO; JPO;	
ļ			DERWENT;	
		nigorbaekt4 eama (avar aanut aukaant 44)	IBM_TDB	2002/44/20 00 55
-	2	piggyback\$4 same (over near4 subscrib\$4)	USPAT;	2003/11/28 09:56
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	L		IBM_TDB	

-	2	piggyback\$4 same (over near6 subscrib\$4)	USPAT;	2003/11/28 09:56
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	10	oversubscrib\$4 near5 channel\$1	USPAT;	2003/11/28 09:57
1	10	Oversubstitus titulis citaliness	US-PGPUB;	2003/11/20 03.37
			EPO; JPO;	
			DERWENT;	
]			IBM_TDB	
-	56	oversubscrib\$4 near5 bandwidth\$1	USPAT;	2003/11/28 10:39
			US-PGPUB;	
			EPO; JPO;	
		•	DERWENT;	
			IBM_TDB	
-	18	( oversubscrib\$4 near5 bandwidth\$1) and satellite\$1	USPAT;	2003/11/28 10:00
			US-PGPUB;	. , , ,
			EPO; JPO;	
	1		DERWENT;	
			IBM_TDB	
1_	8	oversubscrib\$4 same discard\$4	USPAT;	2003/11/29 10:20
-	°	טעבו אבעווים אפווים שווים בענון ואבעוים איניין ואבעוים איניין איניין איניין איניין איניין איניין איניין איניין		2003/11/28 10:39
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	( oversubscrib\$4 same discard\$4) and satellite\$1	USPAT;	2003/11/28 10:06
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	3	oversubscrib\$4 same discard\$4 same bandwidth\$1	USPAT;	2003/11/28 10:41
		oversabourby i same alocal up i same bandwida ipz	US-PGPUB;	2000,12,20 10.11
1			EPO; JPO;	
			DERWENT;	
	24	(a. a. a. a. b. a. a. a. a. a. a. a. a. a. a. a. a. a.	IBM_TDB	2002/11/20 12:22
-	34	(oversubscrib\$4 or overload\$4) same discard\$4 same	USPAT;	2003/11/28 13:22
		bandwidth\$1	US-PGPUB;	
·	1	·	EPO; JPO;	
	:		DERWENT;	
			IBM_TDB	
-	0	(defragment\$4 near5 command) and satellite\$1	USPAT;	2003/11/28 13:23
			US-PGPUB;	
			EPO; JPO;	
<b>!</b>			DERWENT;	
			IBM_TDB	
-	25	(fragment\$4 near5 command) and satellite\$1	USPAT;	2003/11/28 13:44
		Constitution of the second of	US-PGPUB;	->=>, -=, -=, -=
			EPO; JPO;	
			DERWENT;	
	_	unallogatodd gamo bagdiiddddd gama (leiibd aceir a to bas	IBM_TDB	2002/44/20 43:45
-	0	unallocate\$4 same bandwidth\$4 same (low\$4 near5 prior\$4)	USPAT;	2003/11/28 13:46
		same (high\$4 near5 prior\$4) same (queue\$ or buffer\$4 or	US-PGPUB;	
		fifo or memory or storage)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	112	unallocate\$4 and bandwidth\$4 and ((low\$4 near5 prior\$4)	USPAT;	2003/11/28 13:47
		same (high\$4 near5 prior\$4)) and (queue\$ or buffer\$4 or	US-PGPUB;	
		fifo or memory or storage)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	l		TOLI LOD	L

UsPAT;   USPAGUB;   ERO; JPO; DERWENT;   IBM, TDB   USPAT;   USP					
	-	13			2003/11/28 13:52
- 2 ("6366761").PN.   DERWENT; IBM_TDB   USPAT; US-PGFUB; EPG; JPG;   PGG; JPG					
2   ("6366761").PN.   IBM_TDB   2003/11/28 14:04   IBM_TDB   IBM			into or memory or storage)) and satemest		
2   ("6366761").PN.   USPAT; US-PGFUB; EPC).PO; DERWENT; IBM_TDB   USPAT; US-PGFUB; EPC).PO; DERWENT; IBM_TDB   USPAT; US-PGFUB; "5995805"   "65058307"   "5125169"   "5292701"   USPAT; US-PGFUB; "5995805"   "65058307"   "6094575"   "6111863"   USPAT; US-PGFUB; "5995805"   "65058307"   "5094575"   "6111863"   USPAT; US-PGFUB; EPC).PO; DERWENT; IBM_TDB   USPAT; US-PGFUB; EPC).PO					
- 13	l -	2	("6366761") PN		2003/11/28 14:04
13		_	( 0300701 ) (		2003/11/20 11.01
13				,	
13	,				
13					
"5699355"   "5774668"   "5826169"   5920701"     "5998505"   "6094575"   "6111863"     "6141534") PN. (("5132964"   "5251209"   "5920701"     "5993505"   "609357"   "6094575"   "6111863"     "5993505"   "5058307"   "6094575"   "6111863"     "6141534") PN. (("5132964"   "5826169"   "5920701"     "5993505"   "6094575"   "6111863"     "6141534") PN. (and reallocat\$4   US-PGPUB;   "5993505"   "6094575"   "6111863"     "6141534") PN. (and reallocat\$4   US-PGPUB;   "6141534") PN. (	-	13	("5132964"   "5251209"   "5363374"   "5592470"	_	2003/11/28 13:52
"5995805"   "6058307"   "6094575"   "611863"   "6141534")*PN   "(5133964"   "5251209"   "5363374"   "5592470"   "5693355"   "6058307"   "6094575"   "611863"   "6141534")*PN   and reallocats4   "6141534")*PN   and reallocats4   "6141534")*PN   and reallocats4   "6141534")*PN   and reallocats4   "6141534")*PN   and reallocats4   "6141534")*PN   and reallocats4   "6141534")*PN   and reallocats4   "6141534")*PN   and reallocats4   "6141534")*PN   and reallocats4   "6141534")*PN   and reallocats4   "6141534")*PN   and reallocats4   "6141534")*PN   and reallocats4   "6141534")*PN   and reallocats4   "6141534")*PN   and reallocats4   "6141634")*PN   and reallocats4   "6141534")*PN   and reallocats4   "6141634")*PN   and realsocats4   "6141634")*PN   and realsocats4   "6141634")*PN   and realsocats4   "6141634")*PN   and realsocats4   "6141634")*PN   and realsocats4   "6141634")*PN   and realsocats4   "6141634")*PN   and realsocats4   "6141634")*PN   and realsocats4   "6141634")*PN   and realsocats4   "6141634")*PN   and realsocats4   "6141634")*PN   and realsocats4   "6141634"   and realsocats4   "6141635"   and realsocats4   "6141635"   and realsoc		_			
"6141534").PN.   USPAT;   "55132964"   "5251209"   "5363374"   "5592470"   USPAT;   USPGPUB;   F0; 132964"   "569355"   "610863"   "5920701"   USPAT;   USPGPUB;   F0; 190; 190;   F0; 19	1				
"569935s"   "5774668"   "5826169"   "611863"   US-PGPUB; PO; PO; T6141534").PN.) and reallocat\$4   ED; PO; DERWENT; IBM_TDB   US-PGPUB; EPO; PO; PO; DERWENT; IBM_TDB   US-PGPUB; EPO; PO; PO; DERWENT; IBM_TDB   US-PGPUB; EPO; PO; PO; DERWENT; IBM_TDB   US-PGPUB; EPO; PO; PO; DERWENT; IBM_TDB   US-PGPUB; EPO; PO; PO; DERWENT; IBM_TDB   US-PGPUB; EPO; PO; PO; PO; PO; PO; PO; PO; PO; PO;					
"569935s"   "5774668"   "5826169"   "611863"   US-PGPUB; PO; PO; T6141534").PN.) and reallocat\$4   ED; PO; DERWENT; IBM_TDB   US-PGPUB; EPO; PO; PO; DERWENT; IBM_TDB   US-PGPUB; EPO; PO; PO; DERWENT; IBM_TDB   US-PGPUB; EPO; PO; PO; DERWENT; IBM_TDB   US-PGPUB; EPO; PO; PO; DERWENT; IBM_TDB   US-PGPUB; EPO; PO; PO; DERWENT; IBM_TDB   US-PGPUB; EPO; PO; PO; PO; PO; PO; PO; PO; PO; PO;	-	4	(("5132964"   "5251209"   "5363374"   "5592470"	USPAT;	2003/11/28 14:08
"6141534").PN.) and reallocat\$4			"5699355"   "5774668"   "5826169"   "5920701"	US-PGPUB;	
18M_TDB	1		"5995805"   "6058307"   "6094575"   "6111863"	EPO; JPO;	
Creallocat\$4 near5 bandwidth) and (preempt\$4 near5   USPAT;   US-PGPUB;   EPO; JPO; DERWENT;   IBM_TDB   USPAT;   US-PGPUB;   EPO; JPO; DERWENT;   US-PGPUB;   EPO; JPO; DERWENT;   IBM_TDB   USPAT;   US-PGPUB;   EPO; JPO; DERWENT;   IBM_TDB   USPAT;   US-PGPUB;   EPO; JPO; DERWENT;   IBM_TDB   USPAT;   US-PGPUB;   EPO; JPO; DERWENT;   IBM_TDB   USPAT;   US-PGPUB;   EPO; JPO; DERWENT;   US-PGPUB;   EPO; JPO; DERWENT;   US-PGPUB;   EPO; JPO; DERWENT;   US-PGPUB;   EPO; JPO; DERWENT;   US-PGPUB;   EPO; JPO; DERWENT;   US-PGPUB;   EPO; JPO; DERWENT;   US-PGPUB;   EPO; JPO; DERWENT;   US-PGPUB;   EPO; JPO; DERWENT;   US-PGPUB;   EPO; JPO; DERWENT;   US-PGPUB;   EPO; JPO; DERWENT;   US-PGPUB;   EPO; JPO; DERWENT;   US-PGPUB;   EPO; JPO; DERWENT;   US-PGPUB;   EPO; JPO; DERWENT;   US-PGPUB;   EPO; JPO; DERWENT;   US-PGPUB;   EPO; JPO; DERWENT;			"6141534").PN.) and reallocat\$4	DERWENT;	
Queue\$1 or buffer\$1)) and (prior\$4 or class\$4)					
- 0 (reallocat\$4 near5 bandwidth) and (preempt\$4 near5   LSPAT;   US-PGPUB;   EPO; JPO;   DERWENT;   IBM_TDB   USPAT;   US-PGPUB;   EPO; JPO;   DERWENT;   IBM_TDB   USPAT;   US-PGPUB;   EPO; JPO;   DERWENT;   IBM_TDB   USPAT;   US-PGPUB;   EPO; JPO;   DERWENT;   IBM_TDB   USPAT;   US-PGPUB;   EPO; JPO;   DERWENT;   IBM_TDB   USPAT;   US-PGPUB;   EPO; JPO;   DERWENT;   IBM_TDB   USPAT;   US-PGPUB;   EPO; JPO;   DERWENT;   IBM_TDB   USPAT;   US-PGPUB;   EPO; JPO;   DERWENT;   IBM_TDB   USPAT;   US-PGPUB;   EPO; JPO;   DERWENT;   IBM_TDB   USPAT;   US-PGPUB;   EPO; JPO;   DERWENT;   IBM_TDB   USPAT;   US-PGPUB;   EPO; JPO;   DERWENT;   IBM_TDB   USPAT;   US-PGPUB;   EPO; JPO;   DERWENT;   IBM_TDB   USPAT;   US-PGPUB;   EPO; JPO;   DERWENT;   IBM_TDB   USPAT;   US-PGPUB;   EPO; JPO;   DERWENT;   IBM_TDB   USPAT;   US-PGPUB;   EPO; JPO;   DERWENT;   IBM_TDB   USPAT;   US-PGPUB;   EPO; JPO;   DERWENT;   IBM_TDB   USPAT;   US-PGPUB;   EPO; JPO;   DERWENT;   IBM_TDB   USPAT;   US-PGPUB;   EPO; JPO;   DERWENT;   US-PGPUB;	-	0			2003/11/28 14:10
- 0 (reallocat\$4 near\$ bandwidth) and (preempt\$4 near\$ USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; JPO; DER	1		(queue\$1 or buffer\$1)) and (prior\$4 or class\$4)		
- 0 (reallocat\$4 near5 bandwidth) and (preempt\$4 near5 (queue\$1 or buffer\$1))  - 4 (reallocat\$4 near10 bandwidth) and (preempt\$4 near10 USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; E	1				
- 0 (reallocat\$4 near5 bandwidth) and (preempt\$4 near5 (queue\$1 or buffer\$1))  - 4 (reallocat\$4 near10 bandwidth) and (preempt\$4 near10 USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; JPO; JPO; JPO; JPO; JPO; JPO; J	1				
(queue\$1 or buffer\$1))					
- 4 (reallocat\$4 near10 bandwidth) and (preempt\$4 near10 (queue\$1 or buffer\$1))  - 4 (reallocat\$4 near20 bandwidth) and (preempt\$4 near20 (preempt\$4 near20 (queue\$1 or buffer\$1))  - 4 (reallocat\$4 near20 bandwidth) and (preempt\$4 near20 (preempt\$4 near20 (queue\$1 or buffer\$1))  - 402 (preempt\$4 near20 (queue\$1 or buffer\$1))  - 229 (preempt\$4 near20 (queue\$1 or buffer\$1))  - 115 (preempt\$4 near2 (queue\$1 or buffer\$1))  - 46 ((preempt\$4 near2 (queue\$1 or buffer\$1))  - 46 ((preempt\$4 near2 (queue\$1 or buffer\$1))) and bandwidth\$4  - 46 ((preempt\$4 near2 (queue\$1 or buffer\$1))) and bandwidth\$4  - 46 ((preempt\$4 near2 (queue\$1 or buffer\$1))) and bandwidth\$4  - 47 (preempt\$4 near2 (queue\$1 or buffer\$1))) and bandwidth\$4  - 48 ((preempt\$4 near2 (queue\$1 or buffer\$1))) and bandwidth\$4	-	0			2003/11/28 14:10
- 4 (reallocat\$4 near10 bandwidth) and (preempt\$4 near10 (queue\$1 or buffer\$1))  - 4 (reallocat\$4 near20 bandwidth) and (preempt\$4 near20 (preempt\$4 near20 (queue\$1 or buffer\$1))  - 4 (reallocat\$4 near20 bandwidth) and (preempt\$4 near20 (preempt\$4 near20 (preempt\$4 near20 (preempt\$4 near20 (queue\$1 or buffer\$1))  - 402 (preempt\$4 near20 (queue\$1 or buffer\$1))  - 229 (preempt\$4 near5 (queue\$1 or buffer\$1))  - 115 (preempt\$4 near2 (queue\$1 or buffer\$1))  - 46 ((preempt\$4 near2 (queue\$1 or buffer\$1))  - 46 ((preempt\$4 near2 (queue\$1 or buffer\$1))) and bandwidth\$4  - 46 ((preempt\$4 near2 (queue\$1 or buffer\$1))) and bandwidth\$4			(queue\$1 or buffer\$1))		
- 4 (reallocat\$4 near10 bandwidth) and (preempt\$4 near10 USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US					
- 4 (reallocat\$4 near10 bandwidth) and (preempt\$4 near10 (queue\$1 or buffer\$1))  - 4 (reallocat\$4 near20 bandwidth) and (preempt\$4 near20 DERWENT; IBM_TDB (queue\$1 or buffer\$1))  - 402 (preempt\$4 near20 (queue\$1 or buffer\$1))  - 229 (preempt\$4 near5 (queue\$1 or buffer\$1))  - 115 (preempt\$4 near2 (queue\$1 or buffer\$1))  - 46 ((preempt\$4 near2 (queue\$1 or buffer\$1))  - 46 ((preempt\$4 near2 (queue\$1 or buffer\$1))) and bandwidth\$4  - 46 ((preempt\$4 near2 (queue\$1 or buffer\$1))) and bandwidth\$4  - 46 ((preempt\$4 near2 (queue\$1 or buffer\$1))) and bandwidth\$4  - 47 (preempt\$4 near2 (queue\$1 or buffer\$1))) and bandwidth\$4  - 48 ((preempt\$4 near2 (queue\$1 or buffer\$1))) and bandwidth\$4  - 49 ((preempt\$4 near2 (queue\$1 or buffer\$1))) and bandwidth\$4					
(queue\$1 or buffer\$1))		4	(reallogated poars 0 bandwidth) and (preempted poars 0		2002/11/29 14:11
Composite the composite of the composi	-	4			2003/11/28 14:11
- 4 (reallocat\$4 near20 bandwidth) and (preempt\$4 near20 USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US			(quedeșt of buller\$1))		
- 4 (reallocat\$4 near20 bandwidth) and (preempt\$4 near20 (queue\$1 or buffer\$1))  - 402 (preempt\$4 near20 (queue\$1 or buffer\$1))  - 229 (preempt\$4 near5 (queue\$1 or buffer\$1))  - 115 (preempt\$4 near2 (queue\$1 or buffer\$1))  - 46 ( (preempt\$4 near2 (queue\$1 or buffer\$1)))  - 46 ( (preempt\$4 near2 (queue\$1 or buffer\$1))) and bandwidth\$4  - 46 ( (preempt\$4 near2 (queue\$1 or buffer\$1))) and bandwidth\$4  - 47 (queue\$1 or buffer\$1)) and bandwidth\$4  - 48 ( (preempt\$4 near2 (queue\$1 or buffer\$1))) and bandwidth\$4  - 49 ( (preempt\$4 near2 (queue\$1 or buffer\$1))) and bandwidth\$4  - 40 ( (preempt\$4 near2 (queue\$1 or buffer\$1))) and bandwidth\$4					
- 402 (preempt\$4 near20 (queue\$1 or buffer\$1))  - 402 (preempt\$4 near20 (queue\$1 or buffer\$1))  - 402 (preempt\$4 near20 (queue\$1 or buffer\$1))  - 229 (preempt\$4 near5 (queue\$1 or buffer\$1))  - 115 (preempt\$4 near2 (queue\$1 or buffer\$1))  - 46 ( (preempt\$4 near2 (queue\$1 or buffer\$1)))  - 46 ( (preempt\$4 near2 (queue\$1 or buffer\$1))) and bandwidth\$4  - 46 ( (preempt\$4 near2 (queue\$1 or buffer\$1))) and bandwidth\$4  - 47 (queue\$1 or buffer\$1))		·			
(queue\$1 or buffer\$1))	_	4	(reallocat\$4 near20 bandwidth) and (preempt\$4 near20		2003/11/28 14:27
EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; ISM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; ISM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; ISM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; ISM_TDB		·			2000/11/20 1
- 402 (preempt\$4 near20 (queue\$1 or buffer\$1))  - 229 (preempt\$4 near5 (queue\$1 or buffer\$1))  - 229 (preempt\$4 near5 (queue\$1 or buffer\$1))  - 115 (preempt\$4 near2 (queue\$1 or buffer\$1))  - 46 ( (preempt\$4 near2 (queue\$1 or buffer\$1))) and bandwidth\$4  - 46 ( (preempt\$4 near2 (queue\$1 or buffer\$1))) and bandwidth\$4  - 46 ( (preempt\$4 near2 (queue\$1 or buffer\$1))) and bandwidth\$4  - 47 DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;					
- 402 (preempt\$4 near20 (queue\$1 or buffer\$1))  - 229 (preempt\$4 near5 (queue\$1 or buffer\$1))  - 115 (preempt\$4 near2 (queue\$1 or buffer\$1))  - 46 ( (preempt\$4 near2 (queue\$1 or buffer\$1)))  - 46 ( (preempt\$4 near2 (queue\$1 or buffer\$1))) and bandwidth\$4  - 46 ( preempt\$4 near2 (queue\$1 or buffer\$1)) and bandwidth\$4  - 47					
- 402 (preempt\$4 near20 (queue\$1 or buffer\$1))  - 229 (preempt\$4 near5 (queue\$1 or buffer\$1))  - 115 (preempt\$4 near2 (queue\$1 or buffer\$1))  - 46 ((preempt\$4 near2 (queue\$1 or buffer\$1)))  - 46 ((preempt\$4 near2 (queue\$1 or buffer\$1))) and bandwidth\$4  - 47 (preempt\$4 near2 (queue\$1 or buffer\$1)) and bandwidth\$4  - 48 ((preempt\$4 near2 (queue\$1 or buffer\$1))) and bandwidth\$4  - 49 ((preempt\$4 near2 (queue\$1 or buffer\$1))) and bandwidth\$4  - 49 ((preempt\$4 near2 (queue\$1 or buffer\$1))) and bandwidth\$4					
- 229 (preempt\$4 near5 (queue\$1 or buffer\$1))  - 229 (preempt\$4 near5 (queue\$1 or buffer\$1))  - 115 (preempt\$4 near2 (queue\$1 or buffer\$1))  - 46 ((preempt\$4 near2 (queue\$1 or buffer\$1))) and bandwidth\$4  - 46 ((preempt\$4 near2 (queue\$1 or buffer\$1))) and USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; DERWENT; DERWENT; US-PGPUB; EPO; JPO; DERWENT;	-	402	(preempt\$4 near20 (queue\$1 or buffer\$1))		2003/11/28 14:11
- 229 (preempt\$4 near5 (queue\$1 or buffer\$1))  - 115 (preempt\$4 near2 (queue\$1 or buffer\$1))  - 46 ((preempt\$4 near2 (queue\$1 or buffer\$1))) and bandwidth\$4  - 46 (preempt\$4 near2 (queue\$1 or buffer\$1))) and bandwidth\$4  - 5					
- 229 (preempt\$4 near5 (queue\$1 or buffer\$1))  - 115 (preempt\$4 near2 (queue\$1 or buffer\$1))  - 46 ( (preempt\$4 near2 (queue\$1 or buffer\$1))) and bandwidth\$4  - 46 (preempt\$4 near2 (queue\$1 or buffer\$1))) and bandwidth\$4  - 46 (preempt\$4 near2 (queue\$1 or buffer\$1))) and bandwidth\$4  - 47					
- 229 (preempt\$4 near5 (queue\$1 or buffer\$1))  - 115 (preempt\$4 near2 (queue\$1 or buffer\$1))  - 46 ( (preempt\$4 near2 (queue\$1 or buffer\$1))) and bandwidth\$4  - 46 ( (preempt\$4 near2 (queue\$1 or buffer\$1))) and bandwidth\$4  - 47 (queue\$1 or buffer\$1)) and bandwidth\$4  - 48 ( (preempt\$4 near2 (queue\$1 or buffer\$1))) and bandwidth\$4  - 49 ( (preempt\$4 near2 (queue\$1 or buffer\$1))) and bandwidth\$4					
US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;				_	2000/44/20
- 115 (preempt\$4 near2 (queue\$1 or buffer\$1))	<del>-</del>	229	(preempt\$4 near5 (queue\$1 or buffer\$1))		2003/11/28 14:11
- 115 (preempt\$4 near2 (queue\$1 or buffer\$1))  - 46 ((preempt\$4 near2 (queue\$1 or buffer\$1))) and bandwidth\$4  - 46 (preempt\$4 near2 (queue\$1 or buffer\$1))) and bandwidth\$4  - 5					
- 115 (preempt\$4 near2 (queue\$1 or buffer\$1))  - 46 (preempt\$4 near2 (queue\$1 or buffer\$1)) and bandwidth\$4  - 46 (preempt\$4 near2 (queue\$1 or buffer\$1))) and bandwidth\$4  - 5					
- 115 (preempt\$4 near2 (queue\$1 or buffer\$1))  USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; Dandwidth\$4  2003/11/28 14:12					
US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; bandwidth\$4  US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; DERWENT; DERWENT; DERWENT; DERWENT; DERWENT;		445	(prographt4 poor) (quount1 or huffort1)		2002/11/20 14:12
- 46 (preempt\$4 near2 (queue\$1 or buffer\$1))) and USPAT; US-PGPUB; EPO; JPO; DERWENT; Dandwidth\$4 US-PGPUB; EPO; JPO; DERWENT;	<del>-</del>	115	(preempts4 nearz (queuest or buriers1))	,	2003/11/28 14:12
- 46 ( (preempt\$4 near2 (queue\$1 or buffer\$1))) and USPAT; US-PGPUB; EPO; JPO; DERWENT;					
- 46 (preempt\$4 near2 (queue\$1 or buffer\$1))) and USPAT; US-PGPUB; EPO; JPO; DERWENT;					
- 46 ( (preempt\$4 near2 (queue\$1 or buffer\$1))) and USPAT; US-PGPUB; EPO; JPO; DERWENT;					
bandwidth\$4  US-PGPUB; EPO; JPO; DERWENT;		46	( (preempt\$4 pear2 (queue\$1 or huffer\$1\\) and		2003/11/28 14-12
EPO; JPO; DERWENT;		10			2003/11/20 17.12
DERWENT;					
				IBM_TDB	İ

				0000444004400
-	288	(reallocat\$4 near2 bandwidth)	USPAT;	2003/11/28 14:36
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	200	((reallocat\$4 near2 bandwidth) ) and (queue\$1 or buffer\$1)	USPAT;	2003/11/28 14:28
!			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
1			IBM_TDB	
-	0	((reallocat\$4 near2 bandwidth) ) and (queue\$1 or buffer\$1)	USPAT;	2003/11/28 14:28
İ		and preempt adj1 command\$1	US-PGPUB;	
İ			EPO; JPO;	
	}		DERWENT;	
			IBM_TDB	
-	135	((reallocat\$4 near2 bandwidth) ) and prior\$4 and (command	USPAT;	2003/11/28 14:32
		or notification)	US-PGPUB;	
			EPO; JPO;	
·			DERWENT;	
			IBM_TDB	
-	135	((reallocat\$4 near2 bandwidth) ) and prior\$4 and (command	USPAT;	2003/11/28 14:32
		or notification)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	3	reallocat\$4 near2 bandwidth near5 (command\$1 or	USPAT;	2003/11/28 14:38
-		notification\$1)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		11 144 51 1 111 407	IBM_TDB	2002/44/20 44 20
1.	4	reallocat\$4 near5 bandwidth near10 (command\$1 or	USPAT;	2003/11/28 14:38
		notification\$1)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	22		IBM_TDB	2002/11/20 14-54
-	23	reallocat\$4 same bandwidth same (command\$1 or	USPAT;	2003/11/28 14:54
1		notification\$1)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
1_	8	("4541008"   "5155591"   "5200823"   "5371547"	IBM_TDB USPAT	2002/11/20 14-52
_	0	( 4341006   3133391   3200823   3371347     "5563892"   "5600378"   "5619274"   "5642153").PN.	USPAI	2003/11/28 14:52
	2	5563692   5600378   5619274   5642153 J.PN.   (("4541008"   "5155591"   "5200823"   "5371547"	USPAT;	2003/11/28 14:53
-		(( 4341006   5155591   5200823   5371547     "5563892"   "5600378"   "5619274"   "5642153").PN.) and	US-PGPUB;	2003/11/20 14:33
		reallocat\$4	EPO; JPO;	
		i Cullocacφτ	DERWENT;	
			IBM_TDB	
1 -	1	reallocat\$4 adj20 bandwidth adj20 (command\$1 or	USPAT;	2003/11/28 14:54
	*	notification\$1)	US-PGPUB;	2000/11/20 11.37
		· · · · · · · · · · · · · · · · · · ·	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	412	reallocat\$4 same (command\$1 or notification\$1)	USPAT;	2003/11/28 15:11
	'		US-PGPUB;	2300, 22, 20 13.11
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	285	(reallocat\$4 same (command\$1 or notification\$1)) and	USPAT;	2003/11/28 14:55
		@ad<20000303	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
			עטו _ויטב	

-	64	((reallocat\$4 same (command\$1 or notification\$1)) and @ad<20000303) and 370/\$.ccls.	USPAT; US-PGPUB;	2003/11/28 14:55
		ζαα (200000) απα ο , ο, φτοιοί	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
l _	49	reallocat\$4 adj5 (command\$1 or notification\$1)	USPAT;	2003/11/28 15:35
	"	reallocate radio (communate or notification)	US-PGPUB;	2003/11/20 13.35
ł	i		EPO; JPO;	
			DERWENT;	
İ			IBM_TDB	
	15	defragmentation add command		2002/11/20 15:27
•	15	defragmentation adj1 command	USPAT;	2003/11/28 15:27
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	١ .	documentation add command	IBM_TDB	2002/11/20 15:15
-	0	desegmentation adj1 command	USPAT;	2003/11/28 15:15
			US-PGPUB;	
			EPO; JPO;	
	1		DERWENT;	
			IBM_TDB	2000/// /20 45 45
-	0	de-segmentation adj1 command	USPAT;	2003/11/28 15:15
			US-PGPUB;	
	ľ		EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	unsegmentation adj1 command	USPAT;	2003/11/28 15:16
			US-PGPUB;	
İ			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	15	defragmentation near3 command	USPAT;	2003/11/28 15:19
			US-PGPUB;	ļ
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	18	defragmentation near5 command	USPAT;	2003/11/28 15:19
			US-PGPUB;	
			EPO; JPO;	
1			DERWENT;	
İ			IBM_TDB	
-	0	(defragmentation near3 command) not (defragmentation	USPAT;	2003/11/28 15:20
		near5 command)	US-PGPUB;	
		·	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	3	(defragmentation near5 command) not (defragmentation	USPAT;	2003/11/28 15:20
		near3 command)	US-PGPUB;	
	1	<b>'</b>	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	("6590865").PN.	USPAT;	2003/11/28 15:28
		7	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	2	("6198724").PN.	USPAT;	2003/11/28 15:28
		( 025072 1 ).1 11.	US-PGPUB;	2003/11/20 13.20
			EPO; JPO;	
	]		DERWENT;	
			IBM_TDB	
	<b></b>		םטו _ויוטד	l

		·		
-	21	reallocat\$4 adj1 (command\$1 or notification\$1)	USPAT;	2003/11/28 15:37
			US-PGPUB;	
1			EPO; JPO;	
	•		DERWENT;	
			IBM_TDB	
_	42	reallocat\$4 adj1 (request\$1 or notification\$1)	USPAT;	2003/11/28 16:03
	'-	realised to the first transfer of transfer of transfer	US-PGPUB;	2003/11/20 10:03
	i		EPO; JPO;	
			DERWENT;	
		1. 4.4. 11.4. 11. 11.4.4.	IBM_TDB	22224442242
-	4	receiv\$4 adj1 reallocation adj1 (command or request or	USPAT;	2003/11/28 18:17
		notification)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	Ì		IBM_TDB	
-	2	("6574231").PN.	USPAT;	2003/11/28 18:20
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	3783	stor\$4 adj1 pointer	USPAT;	2003/11/28 18:21
	3,03		US-PGPUB;	2003/11/20 10.21
			,	
			EPO; JPO;	
			DERWENT;	
	42	4-1-1	IBM_TDB	2002/44/20 40 22
-	13	database adj1 stor\$4 adj1 pointer\$1	USPAT;	2003/11/28 18:23
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	166	database near3 stor\$4 near3 pointers	USPAT;	2003/11/28 18:24
	,		US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	34	database adj3 stor\$4 adj3 pointers	USPAT;	2003/11/28 18:28
			US-PGPUB;	
			EPO; JPO;	
	1		DERWENT;	
			IBM_TDB	
1_	122	stor\$4 adj3 (buffer or queue) adj3 pointers	USPAT;	2003/11/28 19:22
	122	Story radio (burier or queue) adjo politicis	US-PGPUB;	2003/11/20 13.22
			EPO; JPO;	
			DERWENT;	
	1700	any when the arms the same the start and a second	IBM_TDB	2002/44/20 40 22
-	1796	counter\$1 same threshold same (buffer or queue)	USPAT;	2003/11/28 19:22
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	9	threshold adj3 counter\$1 adj3 (buffer or queue)	USPAT;	2003/11/28 19:23
]			US-PGPUB;	
			EPO; JPO;	
]			DERWENT;	
]			IBM_TDB	
] -	2	("5193090").PN.	USPAT;	2003/11/30 12:37
	_	· · · · · · · · · · · · · · · · · · ·	US-PGPUB;	
			EPO; JPO;	
ļ .			DERWENT;	
			IBM_TDB	
	L		מטו_ויוטג	

•	2	(("5193090").PN.) and counter\$1	USPAT;	2003/11/30 12:38
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	(("5193090").PN.) and (compar\$4 near10 counter\$1 near10	USPAT;	2003/11/30 17:24
		threshold\$4)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	